



57000 4-Stroke Motorcycle Oil 5W-40 Premium Synthetic Ester

Document version: May 18, 2024



Description

MPM 4-Stroke Motorcycle Oil 5W-40 Premium Synthetic Ester is suitable for air- and water-cooled 4-stroke small scooters, motorcycle engines and gearboxes. The high standard in combination with the advanced ester additives gives this oil a high performance and optimal protection of the engine. The combination of exceptional anti-wear / friction additives and the high lubricity increases performance, reduces oil consumption and extends engine life. This engine oil is specially developed for small scooters, motorcycle engines and gearboxes with or without wet clutches and is backwards compatible with API: SJ, SL, and SM specifications.

Note: **Not suitable for gearboxes with a CVT transmission.**

According to the specifications of

API SN
JASO MA / MA2

Packaging units

ART. NR.	VOLUME	ITEMS PER UNIT	ITEMS PER PALLET
57001	1 L	6	450
57020	20 L	1	30
57060	60 L	1	6
57205	205 L	1	2

Standard analyses

TEST	VALUE		METHOD
Density at 15°C	0.855	kg/l	ASTM D4052
Colour	Red		VISUAL
Viscosity	5W-40		
Kinematic Viscosity at 40°C	85	mm ² /s	ASTM D445
Kinematic Viscosity at 100°C	13.8	mm ² /s	ASTM D445
Viscosity Index	169		ASTM D2270
Pourpoint	-42	°C	ASTM D6892
Total Base Number	7.3	mgKOH/g	ASTM D2896

These characteristics are typical of current production. Variations in these characteristics may occur.